

Biases ans uncertainties in Doppler reactivity worth calculations

A. Santamarina, D. Bernard

▶ To cite this version:

A. Santamarina, D. Bernard. Biases ans uncertainties in Doppler reactivity worth calculations. UAM-9 Workshop - Workshop on Uncertainty Analysis in Modeling, May 2015, Madrid, Spain. cea-02492562

HAL Id: cea-02492562 https://cea.hal.science/cea-02492562

Submitted on 27 Feb 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

DE LA RECHERCH<u>E À L'INDUSTRIE</u>



Biases and Uncertainties in Doppler reactivity worth calculations

UAM-9 Workshop

20-22 May 2015

A. Santamarina, D. Bernard



- The Fuel Reactivity Temperature Coefficient
- Section efficace de capture de l'U238 12000 Challenges and biases \triangleright in Doppler deterministic calculations 10000 -T = 200K8000 - T = 100K --- T = 50K T = 23.7Kbarns 6000 4000 2000 6.60 6.70 6.80 6.50 6.90 Energie en eV
- Uniform effective temperature Teff to account for pellet Temperature profile
- **Effective temperature Teff^{RI} to account for Crystal Lattice binding in UO2 fuel**
- Up-scattering effect in resonances
- Recommendations and Conclusion : Uncertainty in standard Doppler calculations

The Fuel Reactivity Temperature Coefficient (FTC)

- 90% of the Fuel Temperature reactivity worth is due to $^{238}U(n,\gamma)$ broadening
- ²³⁵U component is weak (0.1%), due to cancellation of (n,f) and (n, γ) contributions
- ¹⁶O(n,n) positive component amounts to 10 % (thermal spectrum shift effect).
- 35% of ²³⁸U(n, γ) Doppler effect comes from the first 3 resonances broadening.
- 60% of ²³⁸U(n, γ) Doppler effect comes from E_n = [60eV;2keV],unless capture rate is only 20%





- > The Fuel Reactivity Temperature Coefficient
- > Challenges and biases in Doppler deterministic calculations
- > Uniform effective temperature Teff to account for pellet temperature profile
- **Effective temperature Teff^{RI} to account for Crystal Lattice binding in UO2 fuel**
- > Up-scattering effect in resonances
- > Recommendations and Conclusion : Uncertainty in standard Doppler calculations

Spatial self-shielding

- Resonance energetic self-shielding comes with fuel rod spatial self-shielding
- ²³⁸U resonances are more self-shielded at the center of fuel pellet (shadow effect) ⇒ ²³⁸U capture and ²³⁹Pu build-up is higher on pellet boundary ⇒ thermomechanic 'rim effect' (Bu is twice !)



cea

Rim effect

Exact Perturbation Theory supplies the following spatial informations:

• 60% of the ²³⁸U(n, γ) Doppler effect comes from the first 800 μ m of the pellet

•The rim effect is significant in the Doppler worth:

both $\tau^{238}_{U(n,\gamma)}$ and $\Delta \tau^{238}_{U(n,\gamma)}$ present a non-uniform spatial distribution



FTC components in LWR UO2 assemblies

Isotopic components obtained from Perturbation Theory : $\delta \rho = \frac{1}{I_f} < \phi^*, \delta H \phi >$

The Rim effect induces 30% Doppler contribution for the 5% pellet periphery ⇒ temperature at fuel surface should be accounted for

UOX fuel	Fuel region 1	Fuel region 2	Fuel region 3	Fuel region 4	Full Fuel
²³⁸ U	-42.9	-36.2	-38.2	-29.4	-146.7
²³⁵ U	+0.1	0.0	0.0	0.0	+0.1
¹⁶ O					+12.9
Total	-42.8	-36.2	-38.2	-29.4	-133.7

Thermal spectrum shift due to temperature of fuel's Oxygen

(n,γ)	(n,f)	(n,n)	σ _s ^{g'→g}	Total
-148.2	+0.6	+1.5	+12.4	-133.7

1^{rst} calculation challenge : space-dependent self-shielding formalisms require crossed probability tables to account for non-uniform temperatures

FTC components in LWR MOX assemblies

- ²³⁸U broadened resonance contribution almost the same in MOx and UOx fuels
- Doppler level increases by about 30% due to ²⁴⁰Pu broadening

MOX Sample	Fuel region 1	Fuel region 2	Fuel region 3	Fuel region 4	Full Fuel
²³⁸ U	-42.9	-36.1	-42.1	-31.7	-152.8
²⁴⁰ Pu	-23.2	-22.8	-19.0	-6.6	-71.6
²³⁹ Pu	-0.6	-0.2	-0.1	0.0	-0.9
²⁴² Pu	-0.5	-0.3	-0.1	0.0	-0.9
²⁴¹ Pu	+0.1	+0.1	0.0	0.0	+0.2
²³⁵ U	+0.1	0.0	0.0	0.0	+0.1
¹⁶ O					-6.6
Total	-67.0	-59.3	-61.3	-38.3	-232.5

 239 Pu : cancellation between
(n,f) and (n,γ) strong componentsThermal spectrum shift due to
temperature of fuel's Oxygen :
becomes negative(n,γ)(n,f)(n,n) $\sigma_s^{g' \rightarrow g}$ Total

(n,γ)	(n,f)	(n,n)	σ _s ^{g'→g}	Total
-272.9	+42.4	+4.6	-6.6 ^k	-232.5

Cea Resonance overlap in MOX: 2nd Doppler calc challenge



²³⁸U/²⁴⁰Pu/²³⁵U overlap at <u>E=20eV</u>

Mutual shielding taken into account by the fine mesh of SHEM



²³⁸U/²⁴⁰Pu/²³⁹Pu overlap at <u>E=66eV</u>

Mutual shielding taken into account by SHEM-361g (used for Sub-Group method)

D. Bernard - A. Santamarina, Conf. M&C2003, Gatlinburg, April 6-11

UAM-9, Madrid 20-22 May 2015 | PAGE 9

SHEM optimized mesh : resonances ²⁴²Pu and ²³⁸U



UAM-9, Madrid 20-22 May 2015 | PAGE 10



➢ From SHEM-281g to SHEM-361g to allow NR assumption in SG method ⇒ refine discretization between 24eV and 3keV → 80 supplementary groups



Moreover, resonance overlap ²³⁸U / ⁱPu is explicitly described

A. Hébert - A. Santamarina, Conf. PHYSOR'08, Interlaken, Sept 14-19 UAM-9, Madrid 20-22 May 2015 | PAGE 11



- > The Fuel Reactivity Temperature Coefficient
- > Challenges and biases in Doppler deterministic calculations
- > Uniform effective temperature Teff to account for pellet temperature profile
- **Effective temperature Teff^{RI} to account for Crystal Lattice binding in UO2 fuel**
- > Up-scattering effect in resonances
- > Recommendations and Conclusion : Uncertainty in standard Doppler calculations

²³⁸U capture increase with power (140 W/cm \rightarrow 208 W/cm)

Spectral distribution of the ²³⁸U capture increase with fuel temperature



The average temperature model overestimates the ²³⁸U capture increase particularly in the first large resonances (because true temperature is lower in the rim)

A. Santamarina – T. Takeda, Conf. PHYSOR2002, Seoul, October 7-10

Consideration of temperature profile (cylindrical pellet)

> At least, Rowlands formula should be used :

$$T_{eff} = \frac{4}{9}T_c + \frac{5}{9}T_s$$

> We propose the more accurate effective temperature (also suited for transients):

$$T_{e\!f\!f} = \overline{T}_{therm} - \frac{1}{18} \left(T_c - T_S \right)$$

with: $T^{\text{therm}} = \int T(\mathbf{r}) d\mathbf{r} / \int d\mathbf{r}$

A. Santamarina, Report CEA/SPRC/02-03, 2002



- > The Fuel Reactivity Temperature Coefficient
- > Challenges and biases in Doppler deterministic calculations
- > Uniform effective temperature Teff to account for pellet temperature profile
- **Effective temperature Teff^{RI} to account for Crystal Lattice binding in UO2 fuel**
- > Up-scattering effect in resonances
- > Recommendations and Conclusion : Uncertainty in standard Doppler calculations

Cea

Doppler braodening of ²³⁸U in UO₂ fuels



- Thermal motion of fuel atoms \rightarrow Free Gas Model (GM)
- But atoms are actually embedded in a solid state
- > Lamb has shown that in a 'weak binding' assumption, the Doppler broadening can be approximated by GM, using an effective temperature T_{eff}^{L} (= < ϵ >/k_B)
 - The 'weak binding' approx is not relevant for $E_n < 1 \text{ keV}$ \Rightarrow GM using T_{eff}^{L} does not fit ²³⁸U first resonances

We use Cristal Lattice Model(LM), with 2 lattice vibration frequencies (acoustic and optical mode):

 $ρ(ħω) = 0.9 \cdot δ(ħω - 13.4meV) + 0.1 \cdot δ(ħω - 51.8meV)$ ⇒ describe accurately ²³⁸U resonances in UO₂

A. Meister et al., Conf. ND'97, Trieste, May 19-24

Determination of the actual effective temperature

- > The real effective temp T_{eff}^{RI} has to preserve the ²³⁸U capture rate (thus I_{eff} Res. Integral)
- > Solving the flux fine structure equation (both for σ_{238}^{GM} and σ_{238}^{LM}) supplies I_{eff}
- > Then we solved the following equation : $I_{eff}^{GM}(T_{eff}^{RI}) = I_{eff}^{LM}(T)$



> T_{eff}^{RI} is quite independent from Geometry/Concentration

A. Meister and A. Santamarina, Conf. PHYSOR98, Long Island, May 19-24

The accurate effective temperature T_{eff}^{RI}

- > T_{eff}^{RI} depends strongly on resonance energy:
 - In large resonances E<100 eV, the solid state effect is stronger than Lamb (T_{eff}^{RI} > T_{eff}^L)
 - Above 1 keV, T_{eff}^{RI} tends towards T_{eff}^{L}



 \succ Therefore we proposed T_{eff}^{RI} /T corrections for the various energy domains





- > The Fuel Reactivity Temperature Coefficient
- > Challenges and biases in Doppler deterministic calculations
- > Uniform effective temperature Teff to account for pellet temperature profile
- **Effective temperature Teff^{RI} to account for Crystal Lattice binding in UO2 fuel**

> Up-scattering effect in resonances

> Recommendations and Conclusion : Uncertainty in standard Doppler calculations

Cea Doppler boadening – approx elastic Scattering Kernels

The Asymptotic Kernel (AK): T = 0K - target at rest

$$P(E \rightarrow E') dE' = \frac{1}{(1-\alpha)E} dE'$$
 with $\alpha = \left(\frac{A-1}{A+1}\right)^2$

 \rightarrow Used in deterministic resonance self shielding calculation



> Sampling the Velocity of the Target (SVT) \rightarrow Used in Monte Carlo codes

$$\sigma_{\mathcal{S}}(E \to E', \omega \to \omega', T) = \frac{1}{\nu} \int_{V: \nu_r > 0} \nu_r \sigma_{\mathcal{S}}(\nu_r, 0) P(\nu, V \to E', \omega') M_T(V) dV.$$

joint Probability Density: $p(V,\mu_t) = \frac{\sigma_s(v_r,0)v_rg(V)}{2\sigma_s(E,T)v} \quad \begin{array}{l} \underbrace{\sigma_s(v_r)=\text{constant}}_{\text{Gaz Model}} p(V,\mu_t) \propto \frac{\sqrt{v^2 + V^2 - 2\mu_t V v}}{v + V} \left[V^3 e^{-\beta^2 V^2} + vV^2 e^{-\beta^2 V^2} \right] \end{array}$

SVT algorythm : μ uniformly sampled in [-1;+1] - target velocity V sampled - then Rejection applied to sampled pair (μ_i , V_i)

$$R_{SVT} = \frac{\sqrt{v^2 + V^2 - 2\mu_t V v}}{v + V} = \frac{v_r}{v + V} \le 1$$

When (μ_i, V_i) known, the two-body kinematic equations for energy and momentum are solved \Rightarrow scattered neutron properties

UAM-9, Madrid 20-22 May 2015 | PAGE 20

Resonance Elastic Kernel and Up-scattering

- Ouisloumen & Sanchez (NSE 1991) : energy distribution of scattered neutrons at resonance energy is strongly affected by nuclei thermal motion
- Bouland & Rowlands (Conf ND1994) developed the TRAMP code and quantified resonant scattering effect. At LWR HZP:
 - +1% on ²³⁸U capture rate
 - +9% on Doppler coefficient
- A. Courcelle, R. Dagan, J. Rowlands tried to consider solid state effects on resonance scattering : small impact vs GM







- > The Fuel Reactivity Temperature Coefficient
- > Challenges and biases in Doppler deterministic calculations
- > Uniform effective temperature Teff to account for pellet temperature profile
- **Effective temperature Teff^{CL} to account for Crystal Lattice binding in UO2 fuel**
- > Up-scattering effect in resonances
- Recommendations and Conclusion : Uncertainty in standard Doppler calculations



	Cold → HZP 293K 560K	$HZP \rightarrow HFP$ 560K 900K	
Flat Temperature Profile	0%	+8.0%	
UO ₂ binding : GM vs LM	+4.0%	+1.3%	
AK vs Resonant Upscat	-6.0%	-9.4%	

- > It is mandatory to take into account the temperature profile at LWR operating condition
- \succ Crystal binding in UO₂ fuels is particularly important at room temperature
- On the contrary, resonant up-scattering is particulary important for large linear power (however, the -9% AK bias on Doppler worth is assessed in the Free Gaz approximation)



Using the previous recommended T_{eff} and the resonant scattering kernel, the calculation uncertainty components (1σ) are:

Flat Temp	UO ₂ binding	Up-scattering	Total Unc. 1σ
2%	0.3%	3%	3.6%

> FTC uncertainty due to nuclear data is small:

²³⁸ U(n,n')	H(n,n)	238 U $\Gamma_{n},\Gamma_{\gamma}$	Total Unc. 1σ
0.6%	0.5%	1.0%	1.3%

\Rightarrow The total uncertainty on FTC best-estimate calculation amounts to 4%



Conclusions

- Modeling assumptions in FTC neutronic calculation generate high biases : 2% to 10%
- Total uncertainty (bias uncert + ND) in FTC best-estimate calculation amounts to 4%(1σ)
- > Supplementary deterministic biases can occur in MOX due to resonance shielding
- Fuel Temp Coeff measured in the PWR lattice at MINERVE in 1978 from 20°C up to 900°C 4 UO2 fuel samples (E_{U235} = 0.2; 0.7; 3.0; 5.1%) & 6 MOX fuel samples ⇒ TRIPOLI4-DRBC: (C-E)/E = +3% ± 3%(1σ)



DE LA RECHERCHE À L'INDUSTRIE



Merci pour votre attention