



HAL
open science

Recent progress in the synthesis of imogolite and imogolite-like clay minerals. A focus on the sphree-tube transition

Pierre Picot, Yuanyuan Liao, Sophie A Le Caër, Thibaud Coradin, Antoine Thill

► To cite this version:

Pierre Picot, Yuanyuan Liao, Sophie A Le Caër, Thibaud Coradin, Antoine Thill. Recent progress in the synthesis of imogolite and imogolite-like clay minerals. A focus on the sphree-tube transition. 15ème colloque du groupe Français des Argiles, May 2017, Marseille, France. cea-02338913

HAL Id: cea-02338913

<https://cea.hal.science/cea-02338913v1>

Submitted on 30 Oct 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

RECENT PROGRESS IN THE SYNTHESIS OF IMOGOLITE AND IMOGOLITE-LIKE CLAY MINERALS. A FOCUS ON THE SPHERE/TUBE TRANSITION.

PIERRE PICOT (1), YUANYUAN LIAO (1), SOPHIE LE CAËR (1), THIBAUD CORADIN (2), ANTOINE THILL (1)*

(1) LIONS, NIMBE, CEA, CNRS, Université Paris-Saclay, 91191 Gif sur Yvette, France.

(2) Sorbonne Universités, UPMC Univ. Paris 06, CNRS, Collège de France, Paris 75005, France

Imogolite has been discovered more than 50 years ago in the weathering products of volcanic soils in Japan [1]. It has been quickly realized that imogolite is a ubiquitous clay mineral which can be readily synthesized in the laboratory using rather simple co-precipitation receipts [2].

From this initial discovery researchers have started to explore the possible modifications of the imogolite nanotubes. Many successful examples are now available [3,4]. Some of these chemical modifications were shown to be coupled with important structural modifications. The discovery of double walled germanium based imogolite or the larger hybrid imogolite with a hydrophobic internal surface are good examples [5,6]. This growing number of new materials derived from imogolite and sharing the same imogolite local structure (ILS) is now making a new whole family of nanoclays.

The study of the synthesis of these new ILS materials has triggered much progress in the understanding of their formation mechanism. In this presentation, we will go through the recent discoveries about the formation mechanism of imogolite-like nanoclay. We will focus on recent investigations of the early constitution stage of imogolite. We will show that from the same starting conditions, it is possible to produce imogolite, allophane or mixture of both shapes.

These results demonstrate that imogolite and at least some allophanes can be considered as polymorphs of the ILS material. The control of the spherical or tubular shapes has barely been investigated. Bac et al. showed that in the case of germanium based imogolite, it is possible to go from mainly spherical to mainly tubular shape by changing the pH and salinity [7]. Abidin et al. using DFT simulations proposed that it is due to local properties of the Si-OH internal groups [8]. As sphere/tube transitions are also observed for hybrid ILS with the internal surface covered by Si-CH₃ groups an extension of this work as to be considered.

We propose a new hypothesis related to the mechanical properties of proto-imogolite. Using a simplified model accounting for border stress on small proto-imogolite, we show that it exists a size threshold for the sphere/tube transition. We suppose that this transition can at least in part explain the control in shape between ILS tube (imogolite) and sphere (proto-imogolite/allophane). We believe this mechanism to be very general and may be of interest for other clay minerals for which a spontaneous curvature exists and a coexistence of spherical and tubular shapes has been described (for example halloysite).

[1] Yoshinaga N., Aomine S., (1962). Imogolite in some Ando soils. *Soil Science and Plant Nutrition*, 22-29.

[2] Farmer V.C., Fraser T., Tait J., (1977). Synthesis of imogolite: a tubular aluminium silicate polymer. *J. Chem. Soc. Chem. Commun.* 462-463.

[3] Wada S.L., Wada K., (1982). Effect of substitution of germanium for silicon in imogolite. *Clays and Clay Minerals*, 123-128.

[4] Avellan A., Levard C., Kumar N., Rose J., Olivi L., Thill A., Chaurand P., Borschneck D., Masion A., (2014). Structural incorporation of iron into Ge-imogolite nanotubes: a promising step for innovative nanomaterials. *RSC Advances*, 49827-49830.

[5] Maillet P., Levard C., Larquet E., Mariet C., Spalla O., Menguy N., Masion A., Doelsch E., Rose J., Thill A., (2010). Evidence of double-walled AlGe imogolite-like nanotubes. A cryo-TEM and SAXS investigation. *JACS* 1208-1209.

[6] Bottero L., Bonelli B., Ashbrook S., Wright P., Zhou W., Tagliabue M., Armandi M., Garrone E., (2011). Synthesis and characterization of hybrid organic/inorganic nanotubes of the imogolite type and their behaviour towards methane adsorption. *Physical Chemistry Chemical Physics*, 744-750.

[7] Bac B.H., Song Y., Kim M.H., Lee Y.B., Kang I.M. (2009). Single-walled hollow nanospheres assembled from the aluminogermanate precursors. *Chem. Com.* 5740-5742.

[8] Abidin Z., Malsue N., Henmi T. (2007). Differential formation of allophane and imogolite: experimental and molecular orbital study. *J. Computer-Aided Mater Des.* 5-18.