



HAL
open science

Probing the extreme surface of isolated nanoobjects

Olivier Sublemontier

► **To cite this version:**

Olivier Sublemontier. Probing the extreme surface of isolated nanoobjects. E-MRS 2017, May 2017, Strasbourg, France. cea-02340847

HAL Id: cea-02340847

<https://cea.hal.science/cea-02340847>

Submitted on 31 Oct 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Probing the extreme surface of isolated nanoobjects Submitted to symposium S : ALTECH 2017 - Analytical techniques for precise characterization of nano materials

X-ray photoelectron spectroscopy (XPS) is a powerful tool to investigate the surface chemical structure of any material. However, when applied to nanoobjects, this technique faces drawbacks due to interactions with a substrate, on which nanoobjects have to be deposited, and sample charging effects. We present a new experimental approach to XPS based on coupling soft x-ray synchrotron radiation with an in vacuum beam of free-standing nanoaerosols, focused by an aerodynamic lens system. Two examples of experiments performed on the PLEIADES beamline at the SOLEIL Synchrotron facility are presented to illustrate the effectiveness of this approach to probe the extreme surface of isolated nanoobjects.

In the first example, the structure of the Si/SiO₂ interface is probed on isolated silicon nanocrystals previously oxidized with ambient air or by heat treatment under air. Full characterization of the surface has been achieved for different sizes.

In the second example, the adsorption of water on the surface of TiO₂ nanoparticles is investigated in the gas phase. TiO₂ free aerosols are exposed to a controlled pressure of water vapor before being analyzed on-line by XPS. The technique allows here the observation of a predominantly dissociative adsorption of water on the surface of TiO₂ in its very first stage, highlighting a largely covered surface by OH groups.