

Amorphous to Crystal Conversion As a Mechanism Governing the Structure of Luminescent YV04:Eu Nanoparticles

Blaise Fleury, Marie-Alexandra Néouze, Alexy Freitas, Raj-Kumar Ramamoorthy, Thierry Gacoin, David Carriere

► To cite this version:

Blaise Fleury, Marie-Alexandra Néouze, Alexy Freitas, Raj-Kumar Ramamoorthy, Thierry Gacoin, et al.. Amorphous to Crystal Conversion As a Mechanism Governing the Structure of Luminescent YV04:Eu Nanoparticles. E-MRS 2016, May 2016, Lille, France. cea-02349621

HAL Id: cea-02349621 https://cea.hal.science/cea-02349621v1

Submitted on 5 Nov 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

CARRIERE David

De:	administrator@european-mrs.com de la part de European Materials Research Society via European Materials Research Society <administrator@european-< th=""></administrator@european-<>
	mrs.com>
	mis.com
Envoyé:	mercredi 13 janvier 2016 23:58
À:	CARRIERE David
Objet:	Form submission from: New Abstract submission

Thanks for having submitted the following abstract:

CONTACT AUTHOR : David Carriere (david.carriere@cea.fr)

Abstract Key: P2RUQ

Title: Amorphous to Crystal Conversion As a Mechanism Governing the Structure of Luminescent YVO4:Eu Nanoparticles

Submitted to symposium CC

by Authors : Blaise Fleury, Marie-Alexandra Neouze, Alexy Freitas, Raj Kumar Ramamoorthy, Thierry Gacoin, David Carriere Affiliations : LIONS, NIMBE, CEA, CNRS, Université Paris-Saclay, CEA Saclay 91191 Gif sur Yvette Cedex, France; Groupe de Chimie du Solide, Laboratoire de Physique de la Matière Condensée, UMR CNRS 7643, École Polytechnique, 91128 Palaiseau, France

Abstract :

The development of functional materials by taking advantage of the physical properties of nanoparticles needs an optimal control over their size and crystal quality. In this context, the synthesis of crystalline oxide nanoparticles in water at room temperature is a versatile and industrially appealing process, but lacks control especially for "large" nanoparticles (> 30 nanometres), which commonly consist of agglomerates of smaller crystalline primary grains. Improvement of these syntheses is hampered by the lack of knowledge on possible intermediate, non-crystalline stages, although their critical importance has already been outlined in crystallisation processes.

Here, we combine time-resolved, in situ SAXS/WAXS and EXAFS to demonstrate that during the synthesis of luminescent Eu-doped YVO4 nanoparticles, a transient amorphous network forms with a two-level structuration. These two pre-structuration scales constrain topologically the nucleation of the nanometre-sized crystalline primary grains within the amorphous network, and their aggregation in nanoparticles, respectively. The amorphous network, which forms within 40 ms, therefore determines the nanocrystalline structure, which forms in the minute range. This template effect not only clarifies why the crystal size is found independent of the nucleation rate, in contradiction with the classical nucleation theory, but also supports the possibility to control the final nanostructure with the amorphous phase.

Your preferred presentation: Oral presentation preferred

Will submit a paper ? No

PRESENTING AUTHOR

Will propose a sample to Sample corner ? No
