

## Amorphous to Crystal Conversion As a Mechanism Governing the Structure of Luminescent YV04:Eu Nanoparticles

Blaise Fleury, Marie-Alexandra Néouze, Alexy Freitas, Raj-Kumar Ramamoorthy, Thierry Gacoin, David Carriere

## ▶ To cite this version:

Blaise Fleury, Marie-Alexandra Néouze, Alexy Freitas, Raj-Kumar Ramamoorthy, Thierry Gacoin, et al.. Amorphous to Crystal Conversion As a Mechanism Governing the Structure of Luminescent YV04:Eu Nanoparticles. E-MRS 2016, May 2016, Lille, France. cea-02349621

## HAL Id: cea-02349621 https://cea.hal.science/cea-02349621

Submitted on 5 Nov 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## **CARRIERE David**

mrs.com>

De:

Envoyé: À: Objet:	mercredi 13 janvier 2016 23:58 CARRIERE David Form submission from: New Abstract submission
Thanks for having submitted the	
CONTACT AUTHOR : David Car	riere (david.carriere@cea.fr)
Abstract Key: P2RUQ	
Title: Amorphous to Crystal Con Nanoparticles	version As a Mechanism Governing the Structure of Luminescent YVO4:Eu
Carriere Affiliations : LIONS, NIN	
Abstract: The development of functional is optimal control over their size a water at room temperature is a nanoparticles (> 30 nanometres improvement of these synthese	materials by taking advantage of the physical properties of nanoparticles needs an nd crystal quality. In this context, the synthesis of crystalline oxide nanoparticles in versatile and industrially appealing process, but lacks control especially for "large" ), which commonly consist of agglomerates of smaller crystalline primary grains. s is hampered by the lack of knowledge on possible intermediate, non-crystalline portance has already been outlined in crystallisation processes.
uminescent Eu-doped YVO4 nat These two pre-structuration sca grains within the amorphous ne which forms within 40 ms, there This template effect not only cla	d, in situ SAXS/WAXS and EXAFS to demonstrate that during the synthesis of noparticles, a transient amorphous network forms with a two-level structuration. les constrain topologically the nucleation of the nanometre-sized crystalline primary twork, and their aggregation in nanoparticles, respectively. The amorphous network, efore determines the nanocrystalline structure, which forms in the minute range. In the crystal size is found independent of the nucleation rate, in nucleation theory, but also supports the possibility to control the final nanostructure
our preferred presentation: Or	al presentation preferred
Will submit a paper ? No	
Will propose a sample to Sample	e corner ? No
PRESENTING AUTHOR	
	1

administrator@european-mrs.com de la part de European Materials Research

Society via European Materials Research Society <administrator@european-