



HAL
open science

New insights in the electronic transport in reduced graphene oxide using Scanning Electrochemical Microscopy

R. Cornut, T Bourgeteau, S Le Vot, M Bertucchi, V. Derycke, B. Joussetme,
S. Campidelli

► **To cite this version:**

R. Cornut, T Bourgeteau, S Le Vot, M Bertucchi, V. Derycke, et al.. New insights in the electronic transport in reduced graphene oxide using Scanning Electrochemical Microscopy. 17th Topical Meeting of the International Society of Electrochemistry, May 2015, Saint Malo, France. cea-02352782

HAL Id: cea-02352782

<https://cea.hal.science/cea-02352782>

Submitted on 7 Nov 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

New insights in the electronic transport in reduced graphene oxide using Scanning Electrochemical Microscopy


T. Bourgeteau, S. Le Vot, M. Bertucchi, V. Derycke, B. Jousselme, S. Campidelli, R. Cornut
CEA Saclay, IRAMIS, NIMBE (UMR 3685), LICSEN
Gif-sur-Yvette Cedex F-91191, France
renaud.cornut@cea.fr

Graphene and graphene analogues such as GO or reduced-GO (r-GO) are attracting increasing attention from the scientific community.¹ These materials have outstanding properties, so that many potential applications in the fields of electronics, sensors, catalysis and energy storage are being considered. GO combines several advantages such as availability in large quantity, low cost and easy processability. However, contrary to graphene, GO is electronically insulating and has to be reduced into a conductive material, r-GO.

In a recent work² we introduced a new localized functionalization method of GO deposited on a silicon oxide surface based on its reduction at the local scale thanks to scanning electrochemical microscopy (SECM): the reducer is generated at the microelectrode, that is moved close to the substrate. The recovery of electronic conductivity upon reduction enables the selective electrochemical functionalization of patterns.

In the present work, we introduce a new method to evaluate at a local scale the conductivity of r-GO layers with SECM.³ In addition we show how images of individual and interconnected flakes directly reveal the signature of the contact resistance between flakes in a non-contact and substrate-independent way.⁴ Quantitative evaluation of the parameters is achieved with the support of numerical simulations to interpret the experimental results.

Overall, these works illustrates the high potential and versatility of SECM to investigate and functionalize 2D materials.



- (1) Geim, A. K. *Science* **2009**, 324, 1530.
- (2) Azevedo, J.; Fillaud, L.; Bourdillon, C.; Noel J.-M.; Kanoufi F.; Jousselme B.; Derycke V.; Campidelli S.; Cornut R. *J. Am. Chem. Soc.*, **2014**, 136, 4833.
- (3) Azevedo, J.; Bourdillon, C.; Derycke, V.; Campidelli, S.; Lefrou, C.; Cornut, R. *Anal. Chem.* **2013**, 85, 1812.
- (4) T. Bourgeteau, S. Le Vot, M. Bertucchi, V. Derycke, B. Jousselme, S. Campidelli, R. Cornut, *J. Phys. Chem. Lett.*, **2014**, 5, 4162.