



HAL
open science

Feedback on JEFF-33t2 library using GALILEE code.

C. Jouanne, M. Costedelclaux

► **To cite this version:**

C. Jouanne, M. Costedelclaux. Feedback on JEFF-33t2 library using GALILEE code.. JEFF Meeting 2016, Nov 2016, Paris, France. cea-02435100

HAL Id: cea-02435100

<https://cea.hal.science/cea-02435100>

Submitted on 10 Jan 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

DE LA RECHERCHE À L'INDUSTRIE



FEEDBACK ON JEFF-33T2 LIBRARY USING GALILEE CODE.

C. Jouanne, M. Coste-Delclaux (CEA
Saclay)

JEFF MEETING (NOVEMBER 2016)

GALILEE-1 Code : GALVANE Module (GALilée Verification of the Accuracy of Nuclear Evaluations)

Library (# nuclei / #nuclei with DD)	JENDL40 (406 / 3)	ENDFB7R1 (423 / 41)	JEFF32 (472 / 169)	JEFF33T1 (559 / 322)	ENDFB8B1 (446 / 46)	JEFF33T2 (559 / 320)
Inconsistencies						
Mass comparison	4	27	24	14	28	13
Resonance parameters	0	3	9	5	3	5
Q-reactions	5	92	53	33	97	32
Anisotropy	5	39	35	21	40	17*
Radioactive production	1	14	41	100	15	97
Missing gamma production for radiative capture	139	138	104	64	146	44*

* : Fixed, thanks to Dimitri Rochman

Angular momentum of a resonance state

Channel spin s sum of the spins of the two particles

$\vec{\ell}$: orbital angular momentum

\vec{j} : total angular momentum

$$\vec{j} = \vec{\ell} + \vec{s}$$

Pu243, U241, Np238, Pm148M, Cf251

JEFF-3.2, Bk247 : Nucleus spin : 3/2. l value : 0.


→ Theoretical: $J=1$ or $J=2$

but, Evaluation: $J=3/2$

Question :

J value from Evaluation ? (NJOY)

J value from Physics ?



MF8 / Inelastic scattering (MT4) :

Final state with $Exc > 0$ MeV and $LFS = 0$ (GS identification) : 84 evaluations

TALYS correction ?

MF8 /

Inconsistencies between GP data and JEFF311/DD, JEFF32/DD or ENSDF for ID state (Energy Level) or Excitation Energy value

Delta ID STATE GP / J311 : 97

Delta ENER STATE GP / J311 : 5

Delta ID STATE GP / J32 : 91

Delta ENER STATE GP / J32 : 5

Delta ID STATE GP / ENSDF : 28

Delta ENER STATE GP / ENSDF : 5

→ Source of inconsistencies for depletion calculations

→ JEFF-3.3 Decay Data Library ?

INELASTIC SCATTERING IN MF6

JEFF-33T2 : kinematics data in MF6 (double differential energy/angle) : **98 nuclei**
 → no correlation for gamma decays
 25 nuclei without gamma production


Ex : **A127**

1st excited state : E=843 keV. 100% to GS

2nd excited state : E:1.014 MeV.

3% to 1st excited state : gamma cascade 843 keV and 171 keV

97% to GS. Gamma 1.014 MeV



MF6 (JEFF33T2) for 2nd Exc :

Yield gamma : 1.029 (multiplicity)

Proba : 94.3 % 1.014 MeV


2.8 % 843 keV

2.8 % 171 keV

→ no correlation between 843 and 171 keV

INELASTIC SCATTERING IN MF6 / MF12

Target Al27, neutron 4.5 MeV. Gamma production



Solution : use of MF12 / MF14 files

- 1/ use SIXPAK (PREPRO) to generate MF4 from MF6 (neutron angular distributions)
- 2/ use ENSDF data to define gamma cascade for each excited state in agreement with excited state used in evaluation file
- 3/ add new MF4, MF12 and MF14 for discrete inelastic scatterings in evaluation file

We propose this correction for A127 evaluation file


→ If JEFF agrees, we could apply this correction for other nuclei

- Use of MF12 (Transition probabilities) instead of MF6 or MF12 (multiplicities) for gamma cascade (discrete inelastic scatterings)
→ Improvement of Analog simulations
- Unit Base Interpolation for outgoing energy distribution (MF5, MF6, MF15)
→ Energy balance
- Depletion calculations : DD and GP should be in agreement
- Kinematics of outgoing particles at high energy (> 20 MeV)


Collaboration CEA Saclay / IRSN : M. Coste-Delclaux, C. Jouanne, L. Leal

- Fission process using more than two fission channels for J=3- and J=4-
- First and second fission barrier potential investigation under way to support the three fission channels assumption;
- R-matrix fitting of the experimental data with SAMMY with E_r , Γ_γ , Γ_n , Γ_{f1} , Γ_{f2} , Γ_{f3}
- Experimental fitting converges much faster;
- Processing codes such as GALILEE and GAIA are able to process the resonance parameters

NTOF Fission data SAMMY fitting



GALILÉE-1 SYSTEM



- GALILÉE-1: Verification and processing system developed at CEA
- Three main modules
 - GALION: GALilée Input Output for Nuclear data
 - GALVANE : GALilée Verification of the Accuracy of Nuclear Evaluations
 - GTREND: GALilée TReatment of Evaluated Nuclear Data


Renewed processing tools in progress

- Important steps completed
 - Evaluation Verification
 - Cross-Section Reconstruction in Resolved Resonant Range
 - Doppler Broadening (Σ_1)
 - Linearization
 - Probability Table Tools
 - Temperature Interpolation,
 - Mixture
 - Energy Condensation

- Next steps
 - Unresolved Resonance Range Treatment (2017)
 - Thermal Scattering Treatment (2017)
 - Production of TRIPOLI-4 Libraries (2018)
 - GALVANE Release at AEN (2018)


U235 - OK - RRR

ALL REACTIONS





Reconstruction with SAMMY and GALILÉE-1

Absolute values of relative discrepancies less than $6 \cdot 10^{-6}$ for all cross-sections





U235 – 0K – RRR

FISSION BY CHANNEL



U235 – 0K – RRR

FISSION BY SPINGROUP





Comparison to Mass Excess (NUBASE2012) : $\Delta > 1$ MeV.

Cd106, Cd113, Ce141, Eu155, I135, La139,
Ru103, Ru104, Ru105, Th230, Xe134

→ Corrections on AWR + Q + Thresholds (MF4, MF5, MF6,)