



Discussion on the relationship between passivity and reactivity of metals

V. Vivier, B. Gwinner, M. Benoit, B. Laurent, Christian Bataillon, N. Gruet,
F. Miserque, K. Ogle, C. Sanchez-Sanchez, B. Tribollet

► To cite this version:

V. Vivier, B. Gwinner, M. Benoit, B. Laurent, Christian Bataillon, et al.. Discussion on the relationship between passivity and reactivity of metals. 68th annual meeting of the international society of electrochemistry, Aug 2017, Providence, United States. cea-02442347

HAL Id: cea-02442347

<https://cea.hal.science/cea-02442347>

Submitted on 16 Jan 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

FROM RESEARCH TO INDUSTRY



www.cea.fr

DISCUSSION ON THE RELATIONSHIP BETWEEN PASSIVITY AND REACTIVITY OF METALS

ISE 2017 |

B. Gwinner, M. Benoit, B. Laurent, C. Bataillon, N. Larabi-Gruet, F. Miserque (Paris-Saclay University/CEA),
K. Ogle (CNRS/Chimie-ParisTech),
C. Sanchez-Sanchez, B. Tribollet, V. Vivier (CNRS/LISE)


AUGUST 28th 2017

OBJECTIVE


System of interest : passivated metals



Passivity
(oxidation/dissolution
of metal)




Reactivity
(reduction of
media)




Relationship ?

SYSTEMS STUDIED


System No. 1



System No. 2



System No. 3




PROCEDURE

3 steps


- Characterization of the oxide film




- Characterization of passivity



- Characterization of reactivity



STEELS WITH DIFFERENT CHROMIUM CONTENTS



9Cr-1W-Ti ODS

14Cr-1W-Ti ODS

18Cr-1W-Ti ODS


STEELS WITH DIFFERENT CHROMIUM CONTENTS

M_xO_y
M

Characterization of the oxide film


- The oxide film is enriched in chromium (XPS)

Steel composition (at%)





9Cr-1W-Ti ODS


Oxide layer composition (at%)



- The more steel contains chromium, the more important the concentration of chromium in the oxide





STEELS WITH DIFFERENT CHROMIUM CONTENTS




Characterization of passivity

- The more steel contains chromium, the better passivity




STEELS WITH DIFFERENT CHROMIUM CONTENTS





Characterization of reactivity

- The more steel contains chromium, the lower reactivity




STEELS WITH DIFFERENT CHROMIUM CONTENTS




Relationship between passivity and reactivity

- In this case, the more steel contains chromium:
 - The better passivity
 - The lower reactivity



ZIRCONIUM WITH DIFFERENT THICKNESSES OF THE OXIDE FILM





ZIRCONIUM WITH DIFFERENT THICKNESSES OF THE OXIDE FILM


M_xO_y
M

Characterization of the oxide film

- The oxide films (ZrO_2) are prepared by polarization at the same potential but with different durations
- The thickness of the oxide films is measured by two methods: XPS and EIS




ZIRCONIUM WITH DIFFERENT THICKNESSES OF THE OXIDE FILM




Characterization of passivity

- The thicker the oxide film (the longer the polarization time), the better passivity





ZIRCONIUM WITH DIFFERENT THICKNESSES OF THE OXIDE FILM





Characterization of reactivity

- The thicker the oxide film (the longer the polarization time), the lower reactivity




ZIRCONIUM WITH DIFFERENT THICKNESSES OF THE OXIDE FILM



Relationship between passivity and reactivity

- The thicker the oxide film (the longer the polarization time):
 - The better passivity
 - The lower reactivity
- In this case, the trend is similar to the previous example

STEELS WITH DIFFERENT SILICON CONTENTS




	Fe	Cr	Ni	Si	Mn	Add.
Si-rich SS	59.8	18.8	15.1	3.5	2.0	0.8
304L SS	70.3	17.8	9.5	0.3	1.5	0.6

STEELS WITH DIFFERENT SILICON CONTENTS


M_xO_y
M

Characterization of the oxide film (XPS)

- For 304L SS, the oxide is enriched in chromium (no silicon measured)
- Si-rich SS, the oxide is enriched in chromium and silicon




304L SS




Si-rich SS

STEELS WITH DIFFERENT SILICON CONTENTS




Characterization of passivity

- With silicon, passivity is worse




STEELS WITH DIFFERENT SILICON CONTENTS





Characterization of reactivity

- With silicon, reactivity is lower




STEELS WITH DIFFERENT SILICON CONTENTS



Relationship between passivity and reactivity

- With silicon:
 - Passivity is worse
 - Reactivity is lower



- In this case, the trend is the opposite of the previous two examples



SUMMARY

SUMMARY


What kind of relationship is there between passivity and reactivity of metals?



- Depending on the system, the relationship can in one direction or in the other

DISCUSSION

What could that mean?



I let you give me your opinion...

Acknowledgements to :



- You for your attention

Commissariat à l'énergie atomique et aux énergies alternatives
Centre de Saclay | 91191 Gif-sur-Yvette Cedex
T. +33 (0)1 69 08 16 40 | F. +33 (0)1 69 08 15 86

DEN
DPC
SCCME