



Ageing behaviour of cement-based materials: upscaling linear viscoelastic and thermal properties at early-age

T. Honorio, B. Bary

► To cite this version:

T. Honorio, B. Bary. Ageing behaviour of cement-based materials: upscaling linear viscoelastic and thermal properties at early-age. Nanocem Autumn Meeting, Sep 2015, Weimar, Germany. cea-02509669


HAL Id: cea-02509669

<https://cea.hal.science/cea-02509669>

Submitted on 17 Mar 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



CEA - French Alternative Energies and Atomic Energy Commission LECBA - Laboratory of Concrete and Clay Behaviour Studies

Partner Project : Multiscale estimation of the thermo-viscoelastic properties of cementitious materials at early age

Ageing behaviour of cement-based materials: upscaling linear viscoelastic and thermal properties at early-age

Tulio HONORIO, Benoit BARY

Background and Objectives

- Estimation of ageing viscoelastic properties: predict the behaviour at early age
- Multiscale character of cement-based materials, different phenomena potentially affecting the overall behaviour:

- **Goal: estimate ageing viscoelastic properties**
- **Bulk and shear relaxation and Creep functions**


- Space-filling process on C-S-H evolution
- Solidification process
- ITZ composition and size
- Mismatch between aggregates and matrix properties

Methodology

Analytical homogenization schemes in ageing viscoelastic framework:

- Definition of the division ring ($F; +, \circ$) with


$$(f \circ g)(t, \tau) \equiv \int_{t'=-\infty}^t f(t, t') d_{t'} g(t', \tau)$$
- Volterra integral operator (valable for tensors)



Numerical homogenization in FEM simulations:

- Ageing linear viscoelastic behaviour implanted in Cast3m (www.cast3m.fr)
- Evaluation of local information
- Investigation of more complex geometries

Results



Conclusions

- Development of a strategy combining analytical and numerical homogenization tools estimating the ageing viscoelastic behaviour of cement-based materials at early-age.
- The combined approach proposed here allows investigating different propositions of mechanisms leading to an ageing behaviour. Simulations taking into account the space-filling process as leading to an intrinsically ageing behaviour of C-S-H can be performed.
- The estimations of the creep response are in agreement with the usual values obtained experimentally for similar concretes.
- The local information obtained by numerical homogenization at the concrete level shows a similar dispersion in the strains for both inclusions shapes.

What's next?

- Determination of thermal properties at early-age →

Preliminary estimation of the Coefficient of Thermal Expansion (viscoelastic effects considered)

