

## Human-Landscape interaction in cultivated lowland catchments (Louroux catchment, Loire Valley, France)

Olivier Cerdan, Anthony Foucher, Aurore Gay, O. Evrard, Sébastien Salvador-Blanes, Marc Desmet

## ▶ To cite this version:

Olivier Cerdan, Anthony Foucher, Aurore Gay, O. Evrard, Sébastien Salvador-Blanes, et al.. Human-Landscape interaction in cultivated lowland catchments (Louroux catchment, Loire Valley, France). EGU General Assembly 2015, Apr 2015, Vienne, Austria. pp.EGU2015-10703. cea-02647985

## HAL Id: cea-02647985 https://cea.hal.science/cea-02647985

Submitted on 29 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Geophysical Research Abstracts Vol. 17, EGU2015-10703, 2015 EGU General Assembly 2015 © Author(s) 2015. CC Attribution 3.0 License.



## Human-Landscape interaction in cultivated lowland catchments (Louroux catchment, Loire Valley, France)

Olivier Cerdan (1), Anthony Foucher (2), Aurore Gay (1,2), Sébastien Salvador Blanes (2), Olivier Evrard (3), and Marc Desmet (2)

(1) BRGM, Orléans, France (o.cerdan@brgm.fr), (2) GEHCO, University of Tours, France, (3) LSCE, CEA, France

Change of land use or agricultural practices are known to have high impacts on sediment transfer in catchments and rivers. Numerous studies have particularly illustrated these effects in sloping land in tropical areas undergoing deforestation. Much less attention has been paid to lowland humid areas, where permanent land uses have been plowed more recently. However recent studies reported significant erosion rates in these environments despite the gentle topography and the temperate climate.

In order to quantify these changing fluxes of sediment, several instrumentation and historical database analyses were carried out in various catchments of the Loire Valley, France. More particularly, a multiparameter analysis was conducted on sedimentary deposits of a pond created in the 11th century in a catchment representative of cultivated and drained lowland environments where an intensification of agricultural practices has occurred during the last 60 years. The results showed that the initial land consolidation period (1954-1960) was characterized by a dominance of allochtonous material input to the pond. This input represents an erosion of 1900 to 2300 t.km-².yr-1 originating from the catchment. Then, between 1970-1990, terrigenous material flow decreased progressively and tended to stabilize, whereas eutrophication and associated primary production increased in the pond. In addition to these temporal changes, material input across the pond during the last 10 years corresponds to a loss of material in the catchment ranging between 90 and 102 t.km-2.yr-1. While a strong decrease is observed, it still represents a 60-fold increase of the sediment fluxes to the pond compared to the preintensification period. Subsequent research monitoring studies permitted to differentiate between the different sources of sediment and highlight the importance of surface erosion during flood events and of bank erosion during low flows. The increased export of the sediment is primarily due to the very high human-made connectivity of these landscapes that was originally created to evacuate the excess water during the humid seasons.