



HAL
open science

Ageing mechanism of triple cation perovskite solar cells based on GD-OES

Minjin Kim, Pia Dally, Muriel Bouttemy, Denis Tondelier, Jean-Eric Bourée, Yvan Bonnassieux, Bernard Geffroy

► To cite this version:

Minjin Kim, Pia Dally, Muriel Bouttemy, Denis Tondelier, Jean-Eric Bourée, et al.. Ageing mechanism of triple cation perovskite solar cells based on GD-OES. JNPV 2021 - Journées nationales du PhotoVoltaïque 2021, Nov 2021, Dourdan, France. . cea-03456355

HAL Id: cea-03456355

<https://cea.hal.science/cea-03456355>

Submitted on 30 Nov 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Ageing mechanism of triple cation perovskite solar cells based on GD-OES

[POSTER]

Minjin Kim¹, Pia Dally³, Muriel Bouttemy³, Denis Tondelier¹, Jean-Eric Bourée¹, Yvan Bonnessieux¹,
and Bernard Geffroy^{1,2}

1. LPICM-CNRS (UMR7647), Ecole Polytechnique, IP Paris, 91128, Palaiseau, France

2. ILV

3. Université Paris-Saclay, CEA, CNRS, NIMBE, LICSEN, 91191 Gif-sur-Yvette, France

Hybrid perovskite solar cells have rapidly emerged as promising candidates for the next generation photovoltaics with power conversion efficiencies (PCEs) up to 25.2%¹. Compared to commercial silicon-based solar cells, they are price competitive thanks to the simple process and cheap materials². Although these advantages are undeniable, short lifespan of the Perovskite Solar Cells (PSCs) is still an obstacle to commercialization.

Recently, we observed that halide ions diffused into the silver electrode by chemical reaction within a ITO / PEDOT:PSS / 3CP / PCBM / Ag structured PSC device {3CP: (MA_{0.17}FA_{0.83})_{0.95}CS_{0.05}Pb(I_{0.83}Br_{0.17})₃, (MA: Methylammonium, FA: Formamidinium)}. Glow Discharge – Optical Emission Spectroscopy (GD-OES) is an effective tool to monitor the halide ions diffusing toward the silver electrode with ageing. Figure 1 shows monitored iodine and bromine GD-OES profile lines. The amount of halide ions distributed inside the 3CP layer is reduced versus ageing. As concerns the similar GD-OES profile lines showing iodide and bromide diffusions toward silver electrode (Figure 1), the migration of I inside CH₃NH₃PbI₃ observed through GD-OES at room temperature³ is similar to the migration of Br inside CH₃NH₃PbBr₃ observed through synchrotron-based nano-XRF⁴. Several studies also support that halide ions pass through a thin layer (PCBM, Spiro-OMeTAD, or Molybdenum) and react with Ag⁵⁻⁷. GD-OES also observed a quantitative decrease, which supports studies that organic cations (MA⁺ and FA⁺) in perovskite are decomposed and disappear after degradation^{8,9}.

We will discuss how to analyze GD-OES data and deduce ageing mechanisms according to the results.




Figure 1. GD-OES profile lines showing a) iodide and b) bromide ion diffusion toward silver top electrode.

Keywords & Abbreviation: Perovskite Solar Cells (PSCs), Ageing, Glow Discharge – Optical Emission Spectroscopy (GD-OES)

Reference

1. NREL. Best efficiency chart. 2021.
2. Park et al. Nat Energy. 2016, 1, 16152.
3. Lee et al. J. Phys. Chem. C. 2019, 123, 17728–17734.
4. Luo et al. Adv. Mat. 2017, 29, 43, 1703451.
5. De Bastiani et al. Adv. Energy Mater. 2016, 6, 1501453.

6. Li et al. *Adv. Energy Mater.* 2017, 1602922.
7. Besleaga et al. *J. Phys. Chem. Lett.* 2016, 7, 5168–5175.
8. Conings et al. *Adv. Energy Mater.* 2015, 5, 1500477.
9. Bush et al. *Adv. Mater.* 2016, 28, 20, 3937-3943.