

Editorial: Enzyme-based smart materials

Lei Wang, Yijing Liu, Paul Soto Rodriguez

▶ To cite this version:

Lei Wang, Yijing Liu, Paul Soto Rodriguez. Editorial: Enzyme-based smart materials. Frontiers in Chemistry, 2021, 9, pp.815071. 10.3389/fchem.2021.815071. cea-03627994

HAL Id: cea-03627994 https://cea.hal.science/cea-03627994

Submitted on 4 Jul 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





Editorial: Enzyme-Based Smart Materials

Lei Wang^{1*}, Yijing Liu^{2*} and Paul E. D. Soto Rodriguez^{3*}

¹School of Chemistry and Chemical Engineering, Harbin Institute of Technology, Harbin, China, ²Hubei Key Laboratory of Bioinorganic Chemistry and Materia Medica, Hubei Engineering Research Center for Biomaterials and Medical Protective Materials, School of Chemistry and Chemical Engineering, Huazhong University of Science and Technology (HUST), Wuhan, China, 3 Aix-Marseille University and Institute of Biosciences and Biotechnologies, CEA Cadarache, Marseille, France

Keywords: enzyme, smart materials, nanozyme, enzyme-responsive materials, medical applications

Editorial on the Research Topic

Enzyme-Based Smart Materials

Smart materials, also called intelligent or stimuli-responsive materials, are essential for developing next-generation micro-/nanodevices toward biomedical applications. Smart materials chosen for bioapplications need to be biocompatible. Therefore, enzymes with excellent catalytic properties become good candidates for designing smart materials. Generally, enzyme-based smart materials allow for two-way communication between the biological environment and the material, which resembles the dynamics of natural biological materials, and also provide a nature-inspired strategy for designing enzyme-responsive materials: 1) smart materials built up by enzymes, and 2) smart materials responsive to enzymes (Figure 1). Therefore, this special research topic focuses on the enzyme-based materials applied in the biomedical areas.

In principle, the enzymes need to maintain high catalytic properties under working conditions. However, the intrinsic fragile nature of enzymes makes them prone to denaturation or destabilization when working under harsh circumstances, leading to unavoidably shortened lifespan and extremely high cost. One of the focuses is bio-enzymes encoded by antibiotic resistance genes (ARGs). Their enzyme activity might be influenced by the co-selective pressure of ARGs and heavy metal pollution in the soil in the context of heavy metal contents and the relative abundance of ARGs. Qi et al. investigated the distribution characteristics and the co-selective relationship of 28 ARGs and eight heavy metals in soil in a dairy farm via the geographic information system technique, providing a visual insight into correlations between distribution of typical heavy metals and ARGs, toward the understanding of representative heavy metals on the properties of ARGs, as well as the activity of certain bio-enzymes.

To enhance the catalytic performance and stability, one of the traditional and prevalently recognized methods is enzyme immobilization. Based on this idea, Yuan et al. prepared lysozyme-immobilized ZnO nanoparticles, exhibiting the synergistic antibacterial effects against Escherichia coli and Staphylococcus aureus by the mechanism of reactive oxygen species (ROS) generation, which had better performance than either pure ZnO nanoparticles or pure lysozyme both in vitro and in vivo.

Besides nanoparticles, hydrogels could also be a suitable substrate for enzyme loading. In doing so, Yao et al. engineered a ClyC-loaded alginate hydrogel (ClyC-AH) to improve the continuous therapeutic outcome against Staphylococcus aureus, based on the sustained release of ClyC with good stability and activity. Notably, compared to pure ClyC, the use of ClyC-AH improved its biocompatibility and adequate time, thus providing a promising future in the Staphylococcus aureus-targeting therapy.

In addition to enzyme immobilization, developing other nanomaterials with enzyme-like properties could be another solution. A new type of nanomaterials termed nanozymes has

1

OPEN ACCESS

Edited and reviewed by:

Ou Chen.

Brown University, United States

*Correspondence:


Lei Wana leiwang_chem@hit.edu.cn Yijing Liu yijingliu@hust.edu.cn Paul E. D. Soto Rodriguez Paul.sotorodriguez@cea.fr

Specialty section:

This article was submitted to Nanoscience. a section of the journal Frontiers in Chemistry

Received: 15 November 2021 Accepted: 19 November 2021 Published: 13 December 2021

Wang L, Liu Y and Soto Rodriguez PED (2021) Editorial: Enzyme-Based Smart Materials. Front. Chem. 9:815071. doi: 10.3389/fchem.2021.815071



attracted significant research attention, owing to their high stability, easy surface modification, adjustable activity by size/ structure/components, facile preparation, and preservation, thus becoming the potentially ideal substitute for natural enzymes in various bioapplications. Nanozymes could be cataloged into three kinds: metal-oxide nanozymes, noble metal nanozymes and carbon-based nanozymes. There are various applications of nanozymes in the biomedical field, including biosensing, enzyme-based therapy, antibacterial property, and anti-inflammatory property, as summarized by Wang et al. In this field, metal-related nanozymes own advantages in bioanalysis, such as Pd-Ir materials. However, regarding the preparation of nanozymes based on Pd-Ir nanocubes, it is a technical challenge to deposit atomic layers of Ir on the surface of Pd nanocubes due to the relatively low energy barrier of homogeneous nucleation of Ir atoms, compared to heterogeneous nucleation. To solve this problem, Li et al. synthesized Pd-Ir nanocubes with an Ir shell of atomic thickness in an aqueous solution at room temperature. In this way, biomolecules such as antibodies and nucleic acids have free access to the surface of Pd-Ir nanozymes, facilitating these cubic nanozymes for biosensing based on their excellent peroxidase activity and fluorescence quenching ability, showing great potential in clinical applications.

Moreover, being one primary type of nanozymes, carbon-based nanozymes possess unique virtue compared to metal-related nanozymes because of their excellent water dispersion, stable chemical inertness, high photobleaching resistance, and superior surface engineering. Thereby, many investigations have been conducted in biomedicine, catalysis, and biosensing fields based on carbon dot-based nanozymes, which was reviewed by Jin et al., offering deep insights into solving the dilemma of easy inactivation of natural enzymes.

Two components should be included regarding smart materials responsive to enzymes: 1) an enzyme-sensitive component, like substrates or substrate mimics; 2) one component controlling the material changes. Thereby, enzyme-responsive biomaterials possess several advantages over other materials because of their selective catalytic reactions, mild or biological working conditions, and vital functions in healthy and diseased biological pathways. Therefore, enzyme-responsive materials have successfully applied in various biomedical fields. For instance, photodynamic therapy is a mini-invasive tumor therapy based on ROS induced by photosensitizers. However, the non-specific distribution of photosensitizers would potentially be harmful to the healthy tissues, thereby inhibiting their practical applications. To address this issue, Liu et al. summarized the enzyme-based smart materials responsive to the unique enzymatic tumor environment for the targeted drug delivery to improve therapeutic effects, to avoid side effects, and to further boost the development of PDT in the treatment of malignancies.

AUTHOR CONTRIBUTIONS

LW, YL, and PS were all guest associate editors of this editorial. LW drafted this editorial, which was further edited by YL and PS. All the authors agreed to publication.

FUNDING

We thank the support from the National Natural Science Foundation of China (Nos. 52073071 and 52003097), Postdoctoral Science Foundation of China (2020T130144 and 2016M600247), and the research start-up funding of HUST (2020kfyXJJS060).

ACKNOWLEDGMENTS

We thank all authors and all reviewers for their valuable contributions.

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors, and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2021 Wang, Liu and Soto Rodriguez. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.