



HAL
open science

Optimization of a simplified radiochemical method based on Sr[®]-resin for measurement of 90-Sr in nuclear waste

Emilie Baudat, Celine Gautier, Hector Bagàn, Alex Tarancón Sanz, Elodie Laporte, Christèle Colin, Pascal Fichet

► To cite this version:

Emilie Baudat, Celine Gautier, Hector Bagàn, Alex Tarancón Sanz, Elodie Laporte, et al.. Optimization of a simplified radiochemical method based on Sr[®]-resin for measurement of 90-Sr in nuclear waste. MARC XII - 12th International Conference on Methods and Applications of Radioanalytical Chemistry, Apr 2022, Kona, Hawaii, United States. cea-03715319

HAL Id: cea-03715319

<https://cea.hal.science/cea-03715319>

Submitted on 6 Jul 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

lognumber [leave this blank, will be entered by program chair]. Please send the completed form to sam.glover@uc.edu

filename MARCXII_BAUDATEmilie.XLXS

Title Ms.

First Emilie

Last BAUDAT

Organization Commissariat A L' Energie Atomique Et Aux Energies Alternatives

Address CEA - Centre Paris Saclay

Address2

Address3

City Gif-sur-Yvette

State Essonne

Zip 91191

Country France

email emilie.baudat@cea.fr

telephone 01 69 08 64 14

invite_letter No

Abstract_Title OPTIMIZATION OF A SIMPLIFIED RADIOCHEMICAL METHOD BASED ON SR[®]-RESIN FOR MEASUREMENT OF 90-SR IN NUCLEAR WASTE

Authors Baudat, E (1,P); Gautier,C(1); Bagán, H(2); Tarancón, A(2); Colin, C(1); Laporte, E(1); Fichet,P(3);(1) Université Paris-Saclay, CEA, Service d'Études Analytiques et de Réactivité des Surfaces, 91191, Gif-sur-Yvette, France,(2) Department of Chemical Engineering and Analytical Chemistry, University of Barcelona, Martí i Franqués, 1-11, ES-08028, Barcelona, Spain. (3)CEA, DES/DDSD/DFDE/SGOF, Building 611, 91191, Gif-sur-Yvette,

Abstract_Body As a characteristic fission product with a half-life of 28.8 years, Sr-90 must be quantified in nuclear waste. Prior to its nuclear measurement, it is necessary to separate it from its matrix and interferences with radiochemical method. The extraction chromatographic resin, Sr-resin[®], developed by Eichrom in the 1990's is widely applied. Its efficiency has been demonstrated for a wide range of samples even if pre-treatments are necessary depending on the nature of the sample. For nuclear waste, difficulties can be encountered especially with samples with high Pu content. A precipitation with ammonia can be used but this can lead to a Sr loss depending on the experimental conditions (ex: digestion step with HF acid or not) and interferences present. In this presentation, the robustness of an alternative pre-treatment using TRU-resin[®] will be highlighted. It has been proven to be efficient on all the nuclear waste samples investigated in the study.

Session Track 5. Analytical Methods of Fission Products and Fuels

Preference Oral

Publish? No