

Systematic investigation of sensitivity of sulfide-based solid electrolytes for lithium-ion batteries towards humidity

Irina Profatilova, Ivan Leteyi Mfiban, Vasily Tarnopolskiy, Magali Reytier

▶ To cite this version:

Irina Profatilova, Ivan Leteyi Mfiban, Vasily Tarnopolskiy, Magali Reytier. Systematic investigation of sensitivity of sulfide-based solid electrolytes for lithium-ion batteries towards humidity. International Bunsen Discussion Meeting Solid-state Batteries V (SSB V), Nov 2022, Frankfort, Germany. , 2022. cea-04048257

HAL Id: cea-04048257 https://cea.hal.science/cea-04048257v1

Submitted on 27 Mar 2023 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Systematic investigation of sensitivity of sulfide-based solid electrolytes for lithium-ion batteries towards humidity

I.Profatilova, Grenoble/FR, I. Leteyi Mfiban, Grenoble/FR, V. Tarnopolskiy, Grenoble/FR, M. Reytier, Grenoble/FR Dr. Irina Profatilova, CEA-Liten, University Grenoble Alpes, 17 rue des Martyrs, F-38054 Grenoble, France

All-solid-state lithium-ion batteries (ASSLIBs) attract huge interest of researchers and battery manufacturers since they are the most promising candidates for future safe energy storage devices with high energy density for electric transport [1]. However, an important obstacle for wide commercialization of sulphide-based solid electrolytes (SSEs) for LIBs is their extremely high reactivity with traces of humidity leading to toxic H₂S evolution. Therefore, a deep understanding of reactivity of SSEs with water is a key factor to optimise intrinsic characteristics of SSEs as well as a production process of ASSLIBs ensuring its safety and reliability. Very limited amount of literature data is available on the topic [2, 3].

In this work, reactions between SSEs and water were investigated with high precision using a home-made test assembly. Commercially available SSEs, such as Li₃PS₄, L_{i7}P₃S₁₁, Li₁₀GeP₂S₁₂, Li₆PS₅Cl and Li₆PS₅Br were investigated at different scales (from few milligrams to 1g). The developed test assembly is based on gas flow-through cell for the analysis of SSE powders and pellets and continuous H₂S measurements thanks to ultra-sensitive laser detection equipment. Specific attention was paid to reproducibility of the results. The levels of humidity were chosen to mimic a dry room atmosphere. A strong relationship was found between the composition of SSEs, their surface area and reactivity towards humidity. Passivation phenomena were observed in some cases upon exposure to H₂O. Additional advanced characterisation methods helped to understand the differences in reactivity of SSEs with water.

Literature:

[1] C. Wu et al., Nano Energy 2021, 87, 106081.[2] P. Lu et al., Adv. Mater. 2021, 33, 2100921.[3] T. Ohtomo et al., J.Mater. Sci. 2013, 48, 4137.