



HAL
open science

In-can incineration and vitrification process: glass formulation and glass melt/liquid metal interactions

Julia Agullo, A. Laplace, D. Perret, I. Bardez-Giboire, Arnaud Quintas,
Patrice Charvin, Stéphane Lemonnier

► **To cite this version:**

Julia Agullo, A. Laplace, D. Perret, I. Bardez-Giboire, Arnaud Quintas, et al.. In-can incineration and vitrification process: glass formulation and glass melt/liquid metal interactions. SumGlass 2023 - 3rd Summer School on nuclear and industrial glasses for energy transition, Sep 2023, Nimes, France. , 2023. cea-04468297v2

HAL Id: cea-04468297

<https://cea.hal.science/cea-04468297v2>

Submitted on 6 Mar 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

IN-CAN INCINERATION AND VITRIFICATION PROCESS: GLASS FORMULATION AND GLASS MELT/LIQUID METAL INTERACTIONS

Julia Agullo[1], Annabelle Laplace[1], Damien Perret[1], Isabelle Giboire-Bardez [1] Arnaud Quintas [1], Patrice Charvin [1], Stéphane Lemonnier [1]

[1] CEA, DES, ISEC, DPME, Univ Montpellier, Marcoule, France

Keywords: vitrification, molten glass, liquid metal, redox, waste immobilization

The PIVIC project was dedicated for the management of solid technological waste, mainly made up of metals, organic matter (plastics), and silica-based fiber bags. The project aims at developing a sequential single process that thermally treat this technological waste and then condition in metallic containers the resulting Intermediate-Level Long-Lived radioactive waste.

During the high temperature conditioning step ($\approx 1400^{\circ}\text{C}$), the liquid metal phase strongly interacts with the molten glass: redox reactions, crystallization and dissolution mechanisms occur which has an impact on both glass melt viscosity, glass composition and final microstructure. The process environment is highly reducing. Furthermore, due to the coexistence of both metal and glass liquid phases, aluminum from the metal phase can be oxidized, leading to an increase of glass alumina content. Lastly, in the configuration where the waste is introduced in silica-based fiber bags, the silica content of the glass phase will increase, which has to be taken into account when evaluating candidates for glass formulation. It is important to remember that silica, alumina and alkaline contents play a key role on the glass melt viscosity.

In order to reach good process reliability and to master the final conditioning material, such reactions have to be controlled along with a good knowledge of both phases behavior and glass melt viscosity. Furthermore actinides surrogates localization is also required.

This R&D collaborative project was conducted with Orano, CEA and Andra, and supported by the French government program “Programme d’Investissements d’Avenir”.

This poster presents the impact of metal-glass composition, temperature and actinides surrogates on the viscosity of glass melt and on final conditioning matrix.

