



**HAL**  
open science

## Vanadium-free oxide glasses: Interesting positive electrode materials for Li-ion and Na-ion Technologies

Alexis Delanoë, Taos Guyot, Loic Simonin, Ambroise van Rookeghem, Laurent Gonon, Julia Agullo, Damien Perret, Sebastien Martinet, Alexi Cardoso

### ► To cite this version:

Alexis Delanoë, Taos Guyot, Loic Simonin, Ambroise van Rookeghem, Laurent Gonon, et al.. Vanadium-free oxide glasses: Interesting positive electrode materials for Li-ion and Na-ion Technologies. EMRS 2024 Fall Meeting, Sep 2024, Varsovie, Poland. cea-04740577

**HAL Id: cea-04740577**

**<https://cea.hal.science/cea-04740577v1>**

Submitted on 23 Oct 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Vanadium-free oxide glasses: Interesting positive electrode materials for Li-ion and Na-ion Technologies

**Alexis DELANOË**<sup>1</sup>, Taos GUYOT<sup>1,3</sup>, Loic SIMONIN<sup>1</sup>, Ambroise VAN ROEKEGHEM<sup>1</sup>, Laurent GONON<sup>2</sup>, Julia AGULLO<sup>3</sup>, Alexi CARDOSO<sup>3</sup>, Damien PERRET<sup>3</sup>, Sébastien MARTINET<sup>1</sup>

<sup>1</sup> Université Grenoble Alpes, CEA, Liten, DETH, 38000 Grenoble, France

<sup>2</sup> Université Grenoble Alpes, CEA, CNRS, Grenoble SyMMES, Grenoble, France

<sup>3</sup> CEA, DES, ISEC, DPME, Univ Montpellier, Marcoule, France

New materials are required to improve Li-ion and Na-ion batteries performances. Glasses are interesting as active positive electrodes materials. As well as being easy to process and produce on an industrial scale, glasses vitreous structure can undergo the structural changes required for alkaline insertion/disinsertion mechanisms. So far, mostly vanadium-containing glass positive electrodes were relatively well studied, reaching up to 1000 Wh/kg at the material level, for Li-ion cells [1].

Nevertheless, as Vanadium is considered by European Union as a critical raw material, Vanadium-free glasses need therefore to be investigated. Such glasses remain poorly reported in the literature as positive electrode materials, reaching around 60 mAh/g for iron silicates glasses [2], and 119 mAh/g for iron borophosphates glasses [3] in Li-ion technology, or 115 mAh/g sodium iron phosphate glasses for Na-ion batteries [4].

The goal of our research work is to investigate new oxide glass compositions for Li-ion and Na-ion technologies positive electrodes, study their structures, and understand the electrochemical mechanisms, to develop new glasses with high specific performances. The present work presents new oxide glass compositions for Li-ion and Na-ion technologies. Glasses were selected for their theoretical specific capacities, and synthesized using melt quenching technique. Then, pristine glasses were characterized by X-Ray Diffraction (XRD), X-ray Florescence Spectroscopy (XRF) and Secondary Electron Microscopy (SEM) in order to confirm the absence of crystalline phases, the chemical composition and the chemical homogeneity, respectively. Galvanostatic cycling was also performed on Li-metal and Na-metal coin cells with glasses active materials to evaluate their electrochemical performances. *Post-mortem* characterizations such as XRD and SEM were also performed on electrodes after charge and discharge phase, to apprehend mechanisms occurring during the cycling.

## REFERENCES

- [1] Afyon et al., 2014, Scientific Reports. *New high capacity cathode materials for rechargeable Li-ion Batteries: Vanadate-Borate Glasses.*
- [2] Togashi et al., 2016, Journal of Non-Crystalline Solids. *Electrochemical performance as cathode of lithium iron silicate, borate and phosphate glasses with different Fe<sup>2+</sup> fractions.*
- [3] Isono et al. 2010, Journal of Power Sources. *Synthesis and electrochemical characterization of amorphous Li-Fe-P-B-O cathode materials for lithium batteries.*
- [4] Nakata et al., 2016, Journal of Non-Crystalline Solids. *Cathode properties of sodium iron phosphate glass for sodium batteries.*